



Leak Lock®

Most Versatile Thread Sealant on the Market!

LEAK LOCK® Joint Sealant Compound

Pipe Joint Sealant for all threaded material. Water, Gasoline, Propane, most chemicals and all refrigerants.

1 1/3 oz. Plastic tube	# 93803
4 oz. Plastic bottle w/brush top	# 93804
16 oz. Plastic jar w/brush top	# 93805
1 1/3 oz. Blister Pack	# 93799

LEAK LOCK® GOLD Joint Sealant Compound

Same as regular Leak Lock. Has PTFE added.

1 1/3 oz. Plastic tube	# 93798
4 oz. Plastic bottle w/brush top	# 93796
16 oz. Plastic jar w/brush top	# 93795
1 1/3 oz. Blister Pack	# 93797

☒ Installation ☒ Maintenance ☒ Repair

HVAC/R INSTANT REPAIR KIT™

Two part - Bonding Fluid and Micro Cells

- For permanently sealing holes in all metals and rigid plastics
- Forms a high strength bond in seconds

- Full Cure in 20 minutes - put equipment back in service
- Shore D 85+ hardness
- Rated at 1200psi contained air or refrigeration pressure
- Handles 200°F (93.3°C) continuous temperature

REPAIR TIME: 20 MINS

93788

☐ Installation ☒ Maintenance ☒ Repair

LEAK LOCK® - ADVANCED SPECIALTY SEALANT

☒ Installation ☒ Maintenance ☐ Repair

System Safe Sealant. Specially designed for use on: Gaskets, O-Rings, Flare Fittings, Schrader Valves & MORE

1 1/3 oz. tube Blister Pack # 93775



RED EPOXY®

Two part - Resin Bonding Epoxy

- For permanently sealing holes in all metals and rigid plastics
- Simple, Quick Mixing Application
- Fast Repairs, Heat Cures in Minutes
- No Rush, No Wait, You Control Curing Time
- Red Epoxy® has successfully repaired - aluminum evaporators, heating coils, hot water heater tanks, pipes, valves, metal components, automotive engines, radiators (plastic and metal), condensate drain pans, exhaust systems, metal cooling towers, tanks and boiler tubes and much, much more.

☒ Installation ☒ Maintenance ☒ Repair



93806



83 Bi 208.980	8 O 15.999	9 F 18.998	53 I 126.904	119 Lm 530.32
75 Re 186.207	42 Mo 95.95	23 V 50.942	68 Er 167.259	

BIOFILM REMOVER™

☐ Installation ☒ Maintenance ☐ Repair

Prevent Slime Build up in Drain Pan, P-Traps & Drain Line. SAFE & More Effective than Bleach!

32 oz. Plastic bottle w/trigger sprayer # 93776



HVAC SUPER PRO™

Solderless Copper Bonding

- Starts to set up in 20 seconds and forms a solid bond in 3 minutes
- In 12 minutes the bond will withstand 850psi of refrigerant pressure
- Approx. 2 Hours is fully cured and will withstand 1200psi of refrigerant pressure
- Bonds Copper, Aluminum and Brass in any Combination
- Rated to 1200psi and -65°F to 350°F

SET TIME: 12 MINS

93787

☒ Installation ☒ Maintenance ☒ Repair

93786



Pro Tech Service Kits

☐ Installation ☒ Maintenance ☒ Repair

Pro Tech Service Kits contain a pre-loaded system injector along with the additional hose to use with your service gauges. Kits have specific uses with complete instructions included in each package. Refills consisting of two pre-loaded system injectors are also available. Each 2 oz. injector good for 1 to 6 tons.



R3 AC LEAK REPAIR

Repair - Restore - Reveal

Two ounce plastic injector. Seals & prevents .5mm leaks up to 6 tons UV dye to show large leaks. Not activated by moisture or oxygen. Non clogging. Contains UV tracer.

R3 Pro Tech Service Kit # 93778
R3 Refill, two injector pack # 93777

- Seal Existing Leaks in Condensers, Evaporators, Hoses, Gaskets and O-Rings
 - Renew O-Ring and Seal Elasticity
 - Lubricate Moving Metal Parts, Prevent Future Leaks
 - Improves system lubrication up to 1200%
 - Compatible with all refrigerants and refrigeration lubricants
 - All-In-One: Lubricator, Conditioner, Seals Multiple Leaks and contains UV Dye to Reveal Larger Leaks Needing Repair
 - Application for Refrigeration Systems 1 to 6 Tons
- Safe For Reclamation Equipment



Acid Neutralizer® Kit

Neutralizes acids in air conditioning and refrigeration systems. Compatible with all refrigerants and lubricants. Will not harm system components. No solids or solid residuals.

Acid Neutralizer Pro Tech Service Kit # 93794
Acid Neutralizer Refill, two injector pack # 93768



Thawzone® Kit

Frees a frozen system in minutes. The original dehydrant. Does not leave residue. Does not contain any dissolved solids or methanol. Compatible with all refrigerants and lubricants.

Thawzone Pro Tech Service Kit # 93766
Thawzone Refill, two injector pack # 93765



Trace2® Kit

Concentrated penetrant dye in a polyol ester base. Compatible with all refrigerants and lubricants. Leaks show as bright red stains. Will not sludge or deposit gum. Fluorescent with any ultraviolet light source.

Trace2 Pro Tech Service Kit # 93791
Trace2 Refill, two injector pack # 93767



PRO-A™ Kit

The best Polarized Refrigerant Oil Additive specifically designed for use in air conditioning and refrigeration systems... all refrigerants including but not limited to: CFC's, HFC's and HCFC's.

PRO-A Pro Tech Service Kit # 93792
PRO-A Refill, two injector pack # 93764



No Heat! No Flame
Never Burn a Valve Again

TXV & REVERSING VALVE

INSTALLATION KIT

LIFETIME PERMANENT BOND

FOR • COPPER • BRASS • ALUMINUM

☒ Installation ☒ Maintenance ☒ Repair

TXV & Reversing Valve Installation Kit™ is a chemical weld that permanently bonds Copper, Brass, or Aluminum in any combination through an anaerobic chemical reaction. The bond between the metals is very strong and will withstand 450 lbs./ft. of twisting torque and hold up to 1200psi of pressure and 350 degrees Fahrenheit.

93785



MAKING THE BEST CHEMICAL



SPOREGO

Broad Spectrum Cleaner

- ☐ Installation ☒ Maintenance ☐ Repair
Multi surface, broad spectrum cleaner.
Safely & effectively cleans away mold and mildew.
1 gallon Plastic jug # 93782



GREEN PAN TABS™

- ☐ Installation ☒ Maintenance ☐ Repair
Condensate drain pan treatment 2-4 tabs per month.
200 Tablet Plastic jar # 93783

24 Tab
Blister Card
93763



CONDENSATE DRAINPAN CONDITIONER™

- ☐ Installation ☒ Maintenance ☐ Repair
EPA registered water activated time release.
Lab proven effective 3-6 months. Drainpan Control Tablet
0.75 oz. Plastic applicator (to 5 tons) # 93762
2.12 oz. Plastic applicator (to 15 tons) # 93761

BROAD SPECTRUM THREADLOCKER™

THREADLOCKER™

- ☒ Installation ☒ Maintenance ☐ Repair
Vibration proof, chemically resistant, fluid tight seal.
All metals & plastics. Multi-Purpose, Broad Spectrum
0.5 oz. Plastic Tube # 93760



SOLDERLENE®

- ☒ Installation ☒ Maintenance ☒ Repair
Soldering Paste. For low and mid temp.
All metals except Aluminum and Magnesium.
Self-cleaning. Soldering Paste Flux
4 oz. Plastic jar w/brush top # 93811
16 oz. Plastic jar w/brush top # 93812



OIL CHECKER™ (2 TESTS PER KIT)

- ☐ Installation ☒ Maintenance ☒ Repair
Identify all types of refrigerant oil in two quick easy steps. 2 tests per kit. Oil Identification kit
2 oil tests in 4 oz. Plastic jar # 93758



THAWZONE® Liquid Dehydrant

- ☐ Installation ☒ Maintenance ☒ Repair
Liquid dehydrate for all oils/refrigerants. No solids, Methanol, residue or acids. System safe
1 oz. Plastic bottle # 93801
4 oz. Plastic bottle # 93802
16 oz. Plastic bottle # 93756



TRACE® Internal Leak Detector

- ☐ Installation ☒ Maintenance ☒ Repair
Fluorescent - NOT for POE
4 oz. Plastic bottle # 93813



TRACE2® Internal Leak Detector

- ☐ Installation ☒ Maintenance ☒ Repair
Fluorescent (ALL OILS & REFRIGERANTS)
Internal refrigerant leak detector even thru ice/frost w/superbrite UV.
4 oz. Plastic bottle # 93755
16 oz. Plastic bottle # 93753



CHEMICAL TOOLS



THE ACID TEST®

- ☐ Installation ☒ Maintenance ☒ Repair
All refrigerant oils. Accurate, safe, color change in seconds. 4 tests per kit
4 test vials in 4 oz. Plastic jar # 93752



ACID NEUTRALIZER®

- ☐ Installation ☒ Maintenance ☒ Repair
Chemical neutralizer for all refrigerants and oils.
No residue. Preventative
4 oz. Plastic bottle # 93793



SUPER FLUSH™ Internal Coil Cleaner and System Flush

- ☐ Installation ☐ Maintenance ☒ Repair
Coil cleaner/system flush. Use before retrofit & after compressor burnout. Compatible with all oils and refrigerants. Non-hazardous
32 oz. Plastic bottle # 93781
1 gallon Plastic jug # 93751



ICE BLOCK™ Anti-Freeze & Heat Transfer Fluid

- ☐ Installation ☒ Maintenance ☒ Repair
Propylene Glycol based anti-freeze. Safe in closed water based system. Rated -100°F
1 gallon Plastic jug # 93750
5 gallon Tote # 93749



ICE MAX™

- ☐ Installation ☒ Maintenance ☐ Repair
Powdered Ice Machine Cleaner. No acidic residue.
Corrosion inhibitor. Nickel safe. Makes 1 gallon concentrate
4.4 oz. Plastic jar # 93784



GAS LEAK DETECTOR® (MID TEMP)

- ☐ Installation ☒ Maintenance ☒ Repair
Mid Temp 27°F – +200°F. Bubble type hot or cold pipe. Large, Fluorescent Bubbles
8 oz. Plastic bottle w/dauber top # 93809
32 oz. Plastic bottle w/trigger sprayer # 93810
1 gallon Plastic jug # 93747



GAS LEAK DETECTOR® (LOW TEMP)

- ☐ Installation ☒ Maintenance ☒ Repair
Low Temp -30°F – +200°F. Bubble Type hot or cold pipe. Large, Fluorescent Bubbles
8 oz. Plastic bottle w/dauber top # 93807
32 oz. Plastic bottle w/trigger sprayer # 93746
1 gallon Plastic jug # 93745

TRAX® Bubble Type Leak Detector

- ☐ Installation ☒ Maintenance ☒ Repair
Small (1 micron) leak detector. No residue. Long lasting. Oxygen OK. 27°F – 200°F and meets MIL 25567 Spec
1 1/3 oz. Plastic bottle # 93903
12 oz. Plastic bottle w/extendable spout # 93790
1 gallon Plastic jug # 93904



DYE WASH®

- ☐ Installation ☒ Maintenance ☐ Repair
Safely & quickly removes any type of leak detecting dye. Prevents false positives.
32 oz. Plastic bottle w/trigger sprayer # 93819



FILTER FAN & VENT CLEANER™

- ☐ Installation ☒ Maintenance ☐ Repair
Formulated to remove caked on dirt, dust, grease, oil, tar w/ease.
32 oz. Plastic bottle w/trigger sprayer # 93824



TOOLS FOR OVER 85 YEARS



HEAT SHIELD GEL PROTECTS HEAT SENSITIVE COMPONENTS PREVENTS HEAT DAMAGE WITH:

- **NO-DRIP**
- **NO CLEANUP**
- **NON-CORROSIVE**
- **NON-TOXIC**
- **NON-STAINING**

Heat Shield all-temperature barrier spray prevents heat damage to nearby components during soldering, brazing or welding. Its unique no-drip formula sprays on as a gel and evaporates within 24 to 48 hours without staining. For use on all surfaces including but not limited to: wood, insulation, valves, piping and drywall.

32 oz. Plastic bottle w/trigger sprayer # 93789

☒ Installation ☒ Maintenance ☒ Repair



TRACE LIGHT^{ULTRA-BRIGHT} POWERFUL, HAND-HELD UV LIGHT SOURCE

- Multi-purpose UV Inspection Light
- Military grade Aluminum
- Corrosion resistant black coating
- 90mm UV LED flashlight with 26mm lens
- Super Bright LED UV Purple Light Source
- Wave length - 395-400NM
- Weighs only 40 grams
- Requires 3 AAA Batteries
- Lighting Time: 6-8 hours
- High luminous intensity
- Includes safety strap

93769

☐ Installation ☒ Maintenance ☒ Repair

MULTI-PURPOSE ONE-STEP PVC CEMENT NO PRIMER REQUIRED!

Leak Lock®
One-Step PVC Cement
REPLACES
Over 12 Other Products
for Scope and Performance!



93771

93770

- Fast Set, One Step Cement
- Suitable for All Weather Conditions
- Works Well on Wet or Dry Pipe
- Great for Flexible PVC Pipe
- Allows for Immediate Pressure Testing
- Meets ASTM D2564

☒ Installation ☐ Maintenance ☒ Repair

COIL TAMER™

COIL CLEANING LINE



COIL TAMER-EV COIL MAX™

-Powdered Coil Cleaner-Alkaline

Is a powerful Coil Cleaner in powder form to avoid dangerous liquid spills. Safe non-acid. Contains a high performance corrosion inhibitor to help prevent future corrosion of the metals.

Low odor. Makes 1 gallon 6:1

16 oz. Plastic jar # 93780



COIL TAMER-HL COIL BRITE™

-Powdered Coil Cleaner-Acid

Acid based powdered coil cleaner formulated to thoroughly clean the toughest coils using a controlled foaming action for unsurpassed cleaning power. Easy rinse. Mild odor.

Makes 1 gallon of 6:1 concentrate

14 oz. Plastic jar # 93774



COIL TAMER-GREEN STUFF™

-Concentrated Coil Cleaner

Blend of high performance alkaline detergents and penetrants designed for heavy duty degreasing and general cleaning of condenser and evaporator coils, fins, electronic cells, permanent filters and other equipment surfaces. Cleans, degreases and brightens.

1 gallon Plastic jug (ALKALINE) # 93779



COIL TAMER - HD JET FOAMER™

A high performance, heavy duty foaming coil cleaner packaged in a convenient and easy to store aerosol can.

Self rinsing on evaporator coils.

20 oz. Aerosol can (ALKALINE) # 93773



COIL TAMER - COIL BLASTER SOLVENT™

Is the ideal state of the art degreaser. Pleasantly scented solvent spray featuring a blasting aerosol valve system to quickly and easily clean HVAC/R system coils of dirt, grease, and grime. Nonflammable and nonconductive.

20 oz. Aerosol can # 93772



11114 Reichold Road
Gulfport, MS 39503 U.S.A.
1-800-359-5599 • 1-228-896-9220
www.highsidechem.com



98600M51